

Safety Data Sheet

according to Regulation (EC) No 1907/2006

OLI-AQUA NORDIC 18.40 I 1K/2K Rohholzeffektlack

Revision date: 12.01.2021

Product code: A04643

Page 1 of 6

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

OLI-AQUA NORDIC 18.40 I 1K/2K Rohholzeffektlack

1.2. Relevant identified uses of the substance or mixture and uses advised against

Use of the substance/mixture

Colour

1.3. Details of the supplier of the safety data sheet

Company name: Oli Lacke GmbH
 Street: Bahnhofstrasse 22
 Place: D-09244 Lichtenau
 Telephone: +49(0)37208/84200
 e-mail: entwicklung@oli-lacke.de
 Internet: www.oli-lacke.de
 Telefax: +49(0)37208/84268

1.4. Emergency telephone

Gemeins. Gifinformationszentrum Erfurt

number: +49(0)361/730730

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Regulation (EC) No. 1272/2008

This mixture is not classified as hazardous in accordance with Regulation (EC) No. 1272/2008.

2.2. Label elements

Regulation (EC) No. 1272/2008

Precautionary statements

P102 Keep out of reach of children.

Special labelling of certain mixtures

EUH208 Contains reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1), 1,2-benzisothiazol-3(2H)-one; 1,2-benzisothiazolin-3-one. May produce an allergic reaction.
 EUH210 Safety data sheet available on request.

SECTION 3: Composition/information on ingredients

3.2. Mixtures

Hazardous components

CAS No	Chemical name			Quantity
	EC No	Index No	REACH No	
	GHS Classification			
111109-77-4	Dipropylenglykoldimethylether			1 - < 5 %
	404-640-5		01-0000015420-83	

Full text of H and EUH statements: see section 16.

SECTION 4: First aid measures

4.1. Description of first aid measures

General information

If unconscious place in recovery position and seek medical advice. In case of accident or unwellness, seek

Safety Data Sheet

according to Regulation (EC) No 1907/2006

OLI-AQUA NORDIC 18.40 I 1K/2K Rohholzeffektlack

Revision date: 12.01.2021

Product code: A04643

Page 2 of 6

medical advice immediately (show directions for use or safety data sheet if possible). Never give anything by mouth to an unconscious person or a person with cramps.

After inhalation

Move victim to fresh air. Put victim at rest and keep warm. If breathing is irregular or stopped, administer artificial respiration.

After contact with skin

IF ON SKIN: Wash with plenty of soap and water. Do not wash with: Solvents/Thinner

After contact with eyes

In case of contact with eyes flush immediately with plenty of flowing water for 10 to 15 minutes holding eyelids apart and consult an ophthalmologist.

After ingestion

If accidentally swallowed rinse the mouth with plenty of water (only if the person is conscious) and obtain immediate medical attention. Do NOT induce vomiting.

4.2. Most important symptoms and effects, both acute and delayed

No information available.

4.3. Indication of any immediate medical attention and special treatment needed

No data available

SECTION 5: Firefighting measures**5.1. Extinguishing media****Suitable extinguishing media**

alcohol resistant foam. Carbon dioxide (CO₂). Extinguishing powder. Water mist

Unsuitable extinguishing media

High power water jet.

5.2. Special hazards arising from the substance or mixture

Use suitable breathing apparatus. Hazardous combustion products

5.3. Advice for firefighters

Do not allow run-off from fire-fighting to enter drains or water courses.

SECTION 6: Accidental release measures**6.1. Personal precautions, protective equipment and emergency procedures**

See protective measures under point 7 and 8.

6.2. Environmental precautions

Do not allow to enter into surface water or drains.

6.3. Methods and material for containment and cleaning up

Prevent spread over a wide area (e.g. by containment or oil barriers). Clear spills immediately. Take up mechanically, placing in appropriate containers for disposal. Dispose of waste according to applicable legislation.

6.4. Reference to other sections

none

SECTION 7: Handling and storage**7.1. Precautions for safe handling****Advice on safe handling**

Avoid contact with skin, eyes and clothes. Do not breathe gas/vapour/aerosol. Do not eat, drink, smoke or sneeze at the workplace. Never use pressure to empty container. Keep/Store only in original container. Do not allow to enter into surface water or drains.

7.2. Conditions for safe storage, including any incompatibilities

Safety Data Sheet

according to Regulation (EC) No 1907/2006

OLI-AQUA NORDIC 18.40 I 1K/2K Rohholzeffektlack

Revision date: 12.01.2021

Product code: A04643

Page 3 of 6

Requirements for storage rooms and vessels

Keep container tightly closed and in a well-ventilated place. Do not store at temperatures above 35°C Only allow access to authorised staff.

Hints on joint storage

Keep away from: Oxidizing agent Acids alkalines

7.3. Specific end use(s)

No data available

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Exposure limits (EH40)

CAS No	Substance	ppm	mg/m ³	fibres/ml	Category	Origin
34590-94-8	(2-methoxymethylethoxy) propanol	50	308		TWA (8 h)	WEL

8.2. Exposure controls

Appropriate engineering controls

Provide adequate ventilation.

Protective and hygiene measures

When using do not eat, drink, smoke, sniff.

Eye/face protection

Wear eye/face protection.

Hand protection

Disposable gloves

Skin protection

Only wear fitting, comfortable and clean protective clothing. Take off immediately all contaminated clothing. After work, wash hands and face.

Respiratory protection

If technical exhaust or ventilation measures are not possible or insufficient, respiratory protection must be worn.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state: Liquid
Colour:

Test method

Changes in the physical state

Initial boiling point and boiling range: 100 °C

Flash point: > 60 °C

Density (at 20 °C): 1,027 g/cm³ ISO 2811

Solvent content: 1,7 %

9.2. Other information

Solid content: 35,3 %

SECTION 10: Stability and reactivity

Safety Data Sheet

according to Regulation (EC) No 1907/2006

OLI-AQUA NORDIC 18.40 I 1K/2K Rohholzeffektlack

Revision date: 12.01.2021

Product code: A04643

Page 4 of 6

10.1. Reactivity

No information available.

10.2. Chemical stability

No information available.

10.3. Possibility of hazardous reactions

Acids alkalines Oxidizing agent

10.4. Conditions to avoidHazardous decomposition products Carbon monoxide Carbon dioxide (CO₂). Nitrogen oxides (NO_x).**10.5. Incompatible materials**

No information available.

10.6. Hazardous decomposition products

No information available.

SECTION 11: Toxicological information**11.1. Information on toxicological effects****Toxicokinetics, metabolism and distribution**

No information available.

SECTION 12: Ecological information**12.1. Toxicity**

Avoid release to the environment. The classification was carried out according to the calculation method of the Preparations Directive (1999/45/EC).

12.2. Persistence and degradability

No information available.

12.3. Bioaccumulative potential

No information available.

12.4. Mobility in soil

No information available.

12.5. Results of PBT and vPvB assessment

No information available.

12.6. Other adverse effects

No information available.

SECTION 13: Disposal considerations**13.1. Waste treatment methods****Disposal recommendations**

Avoid release to the environment. Refer to special instructions/Safety data sheets. Waste disposal according to directive 2008/98/EC, covering waste and dangerous waste. Contaminated packages must be completely emptied and can be re-used following proper cleaning.

List of Wastes Code - residues/unused products

080112 WASTES FROM THE MANUFACTURE, FORMULATION, SUPPLY AND USE (MFSU) OF COATINGS (PAINTS, VARNISHES AND VITREOUS ENAMELS), ADHESIVES, SEALANTS AND PRINTING INKS; wastes from MFSU and removal of paint and varnish; waste paint and varnish other than those mentioned in 08 01 11

List of Wastes Code - used product

Safety Data Sheet

according to Regulation (EC) No 1907/2006

OLI-AQUA NORDIC 18.40 I 1K/2K Rohholzeffektlack

Revision date: 12.01.2021

Product code: A04643

Page 5 of 6

080112 WASTES FROM THE MANUFACTURE, FORMULATION, SUPPLY AND USE (MFSU) OF COATINGS (PAINTS, VARNISHES AND VITREOUS ENAMELS), ADHESIVES, SEALANTS AND PRINTING INKS; wastes from MFSU and removal of paint and varnish; waste paint and varnish other than those mentioned in 08 01 11

List of Wastes Code - contaminated packaging

080112 WASTES FROM THE MANUFACTURE, FORMULATION, SUPPLY AND USE (MFSU) OF COATINGS (PAINTS, VARNISHES AND VITREOUS ENAMELS), ADHESIVES, SEALANTS AND PRINTING INKS; wastes from MFSU and removal of paint and varnish; waste paint and varnish other than those mentioned in 08 01 11

SECTION 14: Transport information**Land transport (ADR/RID)****Other applicable information (land transport)**

No dangerous good in sense of these transport regulations.

Inland waterways transport (ADN)**Other applicable information (inland waterways transport)**

No dangerous good in sense of these transport regulations.

Marine transport (IMDG)**Other applicable information (marine transport)**

No dangerous good in sense of these transport regulations.

Air transport (ICAO-TI/IATA-DGR)**Other applicable information (air transport)**

No dangerous good in sense of these transport regulations.

14.5. Environmental hazards

ENVIRONMENTALLY HAZARDOUS: no

SECTION 15: Regulatory information**15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture****EU regulatory information**

2004/42/EC (VOC): 17,5 g/l

National regulatory information

Water hazard class (D): 1 - slightly hazardous to water

15.2. Chemical safety assessment

For this substance a chemical safety assessment has not been carried out.

SECTION 16: Other information**Relevant H and EUH statements (number and full text)**

EUH208 Contains reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1), 1,2-benzisothiazol-3(2H)-one; 1,2-benzisothiazolin-3-one. May produce an allergic reaction.

EUH210 Safety data sheet available on request.

Further Information

The above information describes exclusively the safety requirements of the product and is based on our present-day knowledge. The information is intended to give you advice about the safe handling of the product named in this safety data sheet, for storage, processing, transport and disposal. The information cannot be transferred to other products. In the case of mixing the product with other products or in the case of

Safety Data Sheet

according to Regulation (EC) No 1907/2006

OLI-AQUA NORDIC 18.40 I 1K/2K Rohholzeffektlack

Revision date: 12.01.2021

Product code: A04643

Page 6 of 6

processing, the information on this safety data sheet is not necessarily valid for the new made-up material.

(The data for the hazardous ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)