



SCAN QR CODE
for datasheets, safety info – multilingual
available



TECHNICAL DATA SHEET

OLI-NATURA Wood Care Oil

PIGMENT-FREE WOOD CARE OIL BASED ON NATURAL OIL FOR THE CARE & COLOUR REFRESHMENT OF NATURALLY OILED WOODEN SURFACES IN INTERIOR AREAS. IN NATURAL – WITH A COLOUR-DEEPENING EFFECT.

Colour	Item	Container / PU	Pallet
NATURAL (pigment-free)	A01395_RF	1 x 1 L	36
NATURAL (pigment-free)	A01395_RF_VE6	6 x 1 L	60
NATURAL (pigment-free)	A01395_TA	1 x 250 ml	
NATURAL (pigment-free)	A01395_TA_VE24	24 x 250 ml	

* Large containers and bulk containers available on request.

Area of application	<ul style="list-style-type: none">Indoor woodNaturally oiled woodPrivate & commercialSolid wood furnitureFloors & stairs
Properties	<ul style="list-style-type: none">Initial care & refreshing of all naturally oiled wood surfacesUniversal – for wooden floors, stairs and furnitureRefreshes the colour and gives wood new protectionDirt and water repellent, antistaticEasy to apply with a cotton cloth, polishing pad, sprayer or mopHigh yield: 1 litre is sufficient for approx. 50-100 m² per applicationSuitable for toys, free from preservatives and fragrances
Complies with/tested according to	<ul style="list-style-type: none">Giscode Ö 60+EU Decopaint compliantDIN 71-3 (safety of children's toys)DIN 53160 (saliva and sweat resistant)Free from formaldehyde, aromatics, biocides, preservatives, cobalt and oximes
Notes	<ul style="list-style-type: none">Material, object and ambient temperature +15 to +30 °C.Shake or stir well before use!Mix containers from different batches before use.Remove excess material from the surface; avoid puddles.Conduct a preliminary test on unknown substrates and exotic woods and veneers rich in constituents.Oxidative drying: Ensure windows are open and air circulation is adequate during and after application.Risk of spontaneous combustion! Store oil-soaked rags under water or spread them out to dry outdoors.

Preparation	<ul style="list-style-type: none"> ▪ Before each maintenance measure, we recommend dry cleaning and damp cleaning with OLI-NATURA wood soap. Allow the surface to dry completely. ▪ Shake the container well before use.
--------------------	--

Application	<p>Small areas (furniture)</p> <ul style="list-style-type: none"> ▪ Soak a white pad or cotton cloth with wood care oil and polish it into the wood. ▪ Within 10 minutes, remove the wet oil with a dry cotton cloth/oil absorbent cloth and polish. No excess oil should remain. ▪ Protect from water during the curing period and do not clean with a damp cloth. <p>Large areas (floors):</p> <ul style="list-style-type: none"> ▪ Apply the care oil evenly and thinly using a sprayer or mop. Re-oil any dry areas. ▪ Within 10 minutes, polish the wet oil with a white or beige super hand pad under the pad holder for the telescopic handle. Alternatively, you can also use a single-disc machine. Polish until the surface appears even. ▪ Finally, polish the surface with a white Super Hand Pad or oil absorption cloth. No excess oil should remain on the surface. ▪ Protect from water during the curing period and do not clean with a damp cloth.
--------------------	---

Consumption: 1 coat, approx. 10-20 ml/m² per coat (approx. 50-100 m²/l), depending on the absorbency of the wood. The application quantities vary depending on the grain and type of wood.

Drying: Depending on humidity/temperature, the surface is dust dry after 1-2 hours, can be gently used after approx. 12 hours and is fully cured after 2-3 days. Protect from water and treat gently during this time.

NOTE:

Consumption depends on the type of wood and the absorbency of the substrate. Excess material on non-absorbent areas delays drying, as do low temperatures and/or excessive humidity and/or excessive wood moisture.

The maintenance oil is recommended for refreshing oxidatively oiled surfaces. Do not use on UV-oiled pre-finished parquet, as the maintenance oil requires an "open pore system". If in doubt, test on a concealed area.

Care & cleaning	<p>Regular cleaning with OLI-NATURA wood soap.</p> <p>Do not wet clean or treat during the first 2-3 days while the oil is still hardening.</p>
----------------------------	---

Technical data	<p>Solid content: Low</p> <hr/> <p>VOC: 369 g/l - significantly below the EU limit values (Cat. A/f): 700 g/l (2010)</p> <hr/> <p>Brightening: High</p> <hr/> <p>Colours: Natural (pigment-free)</p> <hr/> <p>Hardener: -</p> <hr/> <p>Application: approx. 10-20 g/m² (1 litre approx. 50-100 m² per application)</p> <hr/> <p>Application method: white polishing pad, oil absorbent cloth or cotton cloth, mop</p> <hr/> <p>Cleaning tools: Rinse tools immediately after use with environmentally friendly OLI-NATURA brush cleaner or conventional OLI-NATURA oil thinner or white spirit.</p>
-----------------------	---

Dispose of cleaning residues properly

Shelf life:	At least 36 months in original sealed container. Store in a cool, dry and frost-free place. Opened containers: Seal immediately and consume promptly, as contact with air reduces shelf life.
Disposal:	Empty containers and product residues must be disposed of in accordance with regional regulations.
Declaration:	Modified vegetable oils, linseed oil, wood oil, castor oil, pharmaceutical-grade isoparaffin, cobalt-free drying agents, oxime-free anti-skinning agent.
Safety	<ul style="list-style-type: none">▪ No labelling required, not a hazardous material.▪ Oil-soaked rags, pads or sponges can self-ignite due to heat accumulation! Therefore, after use, store under water or moisten and spread out to dry outdoors before disposal.▪ P102: Keep out of reach of children. Further safety information can be found in the safety data sheet at www.oli-lacke.de .

Our written and verbal recommendations regarding application technology are for guidance only. They are based on our experience and current knowledge from practical application. They do not release the processor from their responsibility to test our products themselves for their suitability for the intended use. All previous editions are hereby invalidated. Status: 26.10.2025_sst
